



UNOCODE **PRO**



# Unocode Pro


**Unocode Pro is the professional key cutting machine; combining state-of-the-art technology, precise results and ease of use**

Unocode Pro is the top electronic key cutting machine for decoding and cutting either by code or from original flat cylinder, vehicle keys and cruciform keys.

Designed for experienced locksmiths and professional key cutters, Unocode Pro wraps together outstanding performance, ease of use and high-quality components. The machine can work both in stand-alone mode or with a PC connection that enables you to access the largest key database available on the market via user-friendly software.

## Unocode Pro

**Unocode Pro is the top electronic key cutting machine for flat cylinder and vehicle keys and cruciform keys.**



\* Keys cut with specific optional accessories.

### Faster cutting cycle

Unocode Pro features new pulley ratios, delivering more torque to the cutter. The faster carriage movements reduce cycle time considerably compared with the Unocode 399 Evo (see box below).

### Adjustable cutting speed

Once you have selected the cutting card to use, you can modify the cutting speed by 30%. In this way, you can speed up work queues or slow down to limit cutter wear.

### Long-lasting cutter

The AlCrN (aluminum chromium nitride) coating keeps the cutter temperature lower whilst the optimized cutter speed ensures a longer life.

### Quiet and stable

The reinforced structure of the machine reduces vibrations, making Unocode Pro stable and quiet.

### Optimized clamps

The four-sided, nickel plated clamps feature a quick-release system for easier rotation and an ergonomic handle. They are rustproof and less prone to wear.

### Clean and orderly work station

The new cutter sharpening means swarf is left only in a small area and collected in the incorporated pull-out tray on the side of the machine.

### Improved hardware

All exposed screws are made of stainless steel




Nickel plated clamp with quick-release system

for better resistance and a longer life.

### Tools and accessories close to hand

On top of the machine there is a utensil tray with non-slip mat to help you keep your work bench neat and tidy and keep all your tools and accessories within easy reach.



### Reduced cycle time

Compared with Unocode 399 Evo, cycle time is reduced by:

- 10% for decoding cylinder keys;
- 25-30% for cutting cylinder keys.

Tests have been performed using Silca branded keys with 5 pins.



Large coloured graphic display and new keyboard to access the software integrated in the machine

## New software features

### Software management of maintenance

The new maintenance menu, programmed by the installer, advises on maintenance necessary for parts subject to mechanical wear. Depending on the setting, the software advises whether the intervention can be performed by the user (e.g. changing the belt) or by the installer (e.g. changing the cutter shaft). Activated parameters are marked by a green light, whilst components that need maintenance or replacement are signalled by a red light. **Please refer to your installer to activate this function.**

### Cut keys counter

The machine keeps a running total of keys cut with each individual cutter, saving the need to manually make a note at each operation. The software advises the operator on cutter use and suggests when the cutter needs replacement. The notice is activated when a pre-set level of keys cut is reached. The level is adjusted by the users according to their use of the machine.

### User-friendly software interface

The software controlling the machine is designed specifically for specialists in the key cutting business and allows you to perform searches by cutting card.

A number of useful functions have been added to improve maintenance so


optimizing the use of the machine over time.

### USB and RS232 port

The machine is provided with USB and RS232 port for external connectivity.

### Graphic display

The machine is equipped with a 5.7" coloured display.




Utensil tray with non-slip mat




AICrN coated cutter

### Optional tools and accessories

- The **automatic feeder** saves time and effort in cutting single sided flat keys (figure on the left).
- The optional **rotating V1 clamp** enables you to operate also on the third axis for angled cuts (figure on the right). Together with other dedicated accessories, it allows you to duplicate Abloy®, Abus®, Ava®-Chubb®, Chubb®, Ford® and Luma® type keys.



Automatic feeder



Rotating V1 clamp

® are registered trademarks.

Further optional accessories available. For more details, visit our website.

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company has its headquarters, with express exclusion of any other court.





 Unocode Pro has been designed and manufactured in conformity with CE mark European standards.

## Technical Data

<b>Power supply</b>	230V - 50Hz, 100V - 50/60Hz
<b>Motor</b>	single phase, one speed
<b>Standard cutter</b>	U01W in AlCrN coated hard metal
<b>Cutter speed</b>	50Hz - 1700 rpm (+/- 10%)
<b>Movements</b>	on 2 axes with ball screws activated by step motors, on rectified roller guides. Possibility to add a 3 <sup>rd</sup> axis to activate the optional tilting and rotating clamps.
<b>Carriage runs</b>	axis X: 57 mm, axis Y: 32 mm
<b>Clamp</b>	V100 universal four-sided, nickel plated
<b>Dimensions</b>	width: 450 mm depth: 600 mm height: 440 mm (with raised shield: 680 mm)
<b>Weight</b>	38 Kg

## Unocode Pro - Plus



Faster cutting cycle



Long-lasting cutter



Optimized four-sided clamps



Resistant hardware and finishing



User-friendly software



Maintenance menu



Cut keys counter